# Jetson s1



мите.



## **Jetson S1**

An acoustic oasis for one. Step inside and have a quick call, video meeting, or deep work session to come up with the next big idea. Make yourself at home: close the door, set up your smartphone, and focus on the task at hand, and Jetson takes care of the rest.

Jetson is a family of universal acoustic pods designed to make everyone's work joyful and fruitful. It's truly people-focused: comfortable and customizable through add-on sets to meet your need and vision. Made of extruded aluminum, which makes it the lightest and most environmentally-friendly pod on the market. With its durable construction, no-hassle assemble, effective sound attenuation, and attractive price, Jetson will introduce the benefits of acoustic pods to all.

#### FUNCTION

Quick-call, video meeting or focused work

#### ACOUSTICS

Insulation

#### USAGE

Open space


Reception

Breakout area

Other public spaces

MUTE. Product fact sheet

## Dimensions, weight & features



Ventilation system	Wall-mounted tabletop		ol 300 × 390 mm
STANDARD EQUIPMENT SET		ОРТ	TONAL EQUIPMENT
	4,0 cm of the wally	Stool / with pack. / max load	d 11,5 / 13 / 110
Tabletop (w x d x h)	860 × 300 × adjustable (every 4,5 cm of the wall)	Display rail	1,4
Height	2247 / 2105	Shallow shelf / max load	1,5 / 3
	+ 800 with an open door	Deep shelf / max load	2,3 / 6
Depth	1000 / 860	Tabletop / max load	3,5 / 8
Width	1000 / 860	Pod / with packaging	210 / 250
DIMENSIONS [MM]	EXTERIOR / INTERIOR	WEIGHT [KG]	

Ventilation system

LED Light

Occupancy sensor for fans and light

Mediaport with 2 power and 2 USB sockets

Wall-mounted tabletop

Display rail, phone holder and magnet

Wall hook

Free-standing with footrest

Power cord 3 m

## **Technical data**

#### ACOUSTIC RESULTS AND VENTILATION

Speech attenuation level 26,4 dB, class B per ISO 23351

RT20 inside <0,2 s per ISO 354:2005

Airflow 50 m3/h

Fan emitted noise outside / inside ≤30 dB / ≤36 dB

POWER CONSUMPTION

Standby 4,5 W Working (fans, LEDs) 12 W

Max power supply 20 W (no receivers)

Power supply voltage 220-240 / 100-120 VAC, 50-60 Hz

24 V DC

Supply voltage for ventilation,

lighting and addons

COMPOSITION

Aluminium structure and steel elements

Plywood and melamine faced chipboard

Isolating and absorbing materials
Soundproof glass

Felt

#### LIGHTING PERFORMANCE

Power 8 W

Brightness 240 lux

Color temperature 4 000 K

#### INTERNAL MEDIAPORT

Supply voltage 220-240 / 100-120 VAC, 50-60 Hz

Power sockets 2

USB fast charger TUF A+C 25 W, 5 V DC

Available socket types FR / DE / UK / US / CH / AU / DK\* / IT\*

Mounting system Included

Color Black

\*The appearance of the mediaport may differ from that shown in the renderings. Parameters and features remain unchanged.

## **Additional information**

#### CARE

Keep product dry

Vacuum and clean regularly

Follow the assembly instructions & terms of use Follow product's Cleaning and care guide

#### LOCATION ASSURANCE

Ensure at least 20 cm space between the pod and the ceiling

Two pods can be placed together without a need of free space between sidewalls

#### GUARANTEE

5 years guarantee for the product

2 years guarantee for finishing materials, door elements and electrical components

#### ENVIRONMENTAL IMPACT

Environmental management system ISO 14001

European Economic Area and RoHS Compliant

Made of aluminum, lightweight, durable and fully recyclable

Recyclable packaging





#### PRODUCTION

Certified Production Process ISO 9001

Product manufactured in Poland

Assessed and deemed to meet EU safety st.





#### DELIVERY & ASSEMBLY

Flat cardboards delivered on a pallet

Package dimensions ( $I \times w \times h$ ) 2250 × 1270 × 915 mm


No-tools wall connecting system

MUTE. Product fact sheet

## Add-on sets


### Library set

Weight / with packaging 6,5 / 8 kg



Note set


Weight / with packaging 10 / 12 kg



MUTE. Product fact sheet

## Finishes overview







# The smart choice.



Witteveen Projectinrichting Ouderkerk a/d Amstel Tel: 020 - 496 5030 info@witteveen.nl www.telefooncel.info www.project-inrichting.nl