




GLIMAKRA
OF SWEDEN

2014-10-17

Product information – LimbusPhone hood Long



Equivalent absorption surface per m2 of screen surface (m2S/m2)
The 8mm MDF core reduces the sound transmission effectively

Size

Outer width: 700mm, depth: 600mm, height: 1800mm.

Inner width: 620mm, depth: 560mm

Assembly height: 2050mm over floor

Screen thickness 40mm



Construction

Wall hanged phone hood.

4 Limbus screen components are connected to create walls and ceiling. The phone hood is fitted with a shelf in 10mm HPL white with black core.

The furniture comes unassembled.

Shelf

White stained ashwood. 620 x 200 x 10mm.

Assembly height: 1020mm over floor.

Board

8mm sound reducing MDF board with a 40mm MDF-frame. (Nordic Ecolabel)

Acoustic filling

2 x 15mm sound absorbing HR60-Polyether (Ökotex) on 8mm sound insulating MDF.

Witteveen Projectinrichting, Ouderkerk a/d Amstel
Tel: 020 - 496 5030, info@witteveen.nl
www.project-inrichting.nl + www.scheidingswand.net





GLIMAKRA
OF SWEDEN

Product information – LimbusPhone hood Long


Wall mounting	A wall mounting metal rail is fixed to the wall. A metal rail on the back of the hood hooks to the wall mounting rail. Assembly height strip: 1950mm over floor.
Glue	Waterbased glue.
Cover	Blazer from Camira (www.camirafabrics.com) Customers choice quoted
Environment	100% recyclable.
Specification text	LimbusPhone hood Long w700 x d600x h1075mm. Sound absorbing filling with fabric, inside: Blazer CUZ E1. Sound absorbing filling with fabric, outside: Blazer CUZ 30. Fabric piping: black 190. Shelf white stained ashwood. 620 x 200 x 10mm.



GLIMAKRA
OF SWEDEN

2014-02-11

Product information – LimbusPhone hood



Size	Outer width: 700mm, depth: 420-600mm, height: 1075mm. Inner width: 620mm, depth: 380-560mm, height: 1035mm. Assembly height: 2050mm over floor Screen thickness 40mm
Construction	Wall hanged phone hood. 4 Limbus screen components are connected to create walls and ceiling. The phone hood is fitted with a shelf in 10mm HPL white with black core. The furniture comes unassembled.
Shelf	HPL, white with black core. 620 x 200 x 10mm. Assembly height: 1020mm over floor.
Board	8mm sound reducing MDF board with a 40mm MDF-frame. (Nordic Ecolabel)
Acoustic filling	2 x 15mm sound absorbing HR60-Polyether (Ökotex) on 8mm sound insulating MDF.
Wall mounting	A wall mounting metal rail is fixed to the wall. A metal rail on the back of the hood hooks to the wall mounting rail. Assembly height strip: 1950mm over floor.
Glue	Waterbased glue.
Cover	Blazer from Camira (www.camirafabrics.com) Europost and Flex from Gabriel (www.gabriel.dk) Customers choice quoted
Environment	100% recyclable.



GLIMAKRA
OF SWEDEN

Product information – LimbusPhone hood

Specification text

LimbusPhone hood w700 x d600x h1075mm.

Sound absorbing filling with fabric, inside: Blazer CUZ E1.

Sound absorbing filling with fabric, outside: Blazer CUZ 30.

Fabric piping: black 190.


Shelf HPL, white with black core. 620 x 200 x 10mm.



GLIMAKRA
OF SWEDEN

2014-02-11

Product information – LimbusPhone booth single



Equivalent absorption surface per m2 of screen surface (m2S/m2)
The 8mm MDF core reduces the sound transmission effectively

Size	Outer width: 700mm, depth: 600-785mm, height: 2050mm. Inner width: 620mm, depth: 560-740mm, height: 2010mm Screen thickness 40mm
Construction	Freestanding phone booth. 4 Limbus screen components are connected to create walls and ceiling. The phone booth is fitted with shelves in 10mm HPL white with black core. The furniture comes unassembled.
Shelf	HPL, white with black core. 620 x 200 x 10mm. Assembly height: 1020mm over floor.
Board	8mm sound reducing MDF board with a 40mm MDF-frame. (Nordic Ecolabel)
Acoustic filling	2 x 15mm sound absorbing HR60-Polyether (Ökotex) on 8mm sound insulating MDF.
Glue	Waterbased glue.
Cover	Blazer from Camira (www.camirafabrics.com) Europost and Flex from Gabriel (www.gabriel.dk) Customers choice quoted
Environment	100% recyclable.
Specification text	LimbusPhone booth single w700 x d785x h2050mm. Sound absorbing filling with fabric, inside: Blazer CUZ E1. Sound absorbing filling with fabric, outside: Blazer CUZ 30. Fabric piping: black 190. Shelf HPL, white with black core. 620 x 200 x 10mm.

Witteveen Projectinrichting, Ouderkerk a/d Amstel
Tel: 020 - 496 5030, info@witteveen.nl
www.project-inrichting.nl + www.scheidingswand.net

