

Uno
Upholstery fabrics





3008



3027



3050



3136



3271




3380



3418



3518




3535



3554



3726



3822



3854



3935



4024



4054




4223



4245




4254



4320




4336




4350



4370



4372



4380



4423




4426



4433




4436



4461



4545



4615



4644



4654




5014




5045



5125




5515



5636



5736



5813



5827



5872



5927



6126




6213



6217



6263




6500



6508



6527




6535



6621



6708



6736



6780



6852



6963



8300



8900

Uno Upholstery fabrics

Design: Eva Larsson
Width: 140 cm / 55 inch
Material:
Wool 85%
Lycra 3%
Polyamide 12%
Weight: 400 g/m²

Abrasion resistance
According to:
- EN ISO 12947-2
Martindale
50 000 rubs

Colour fastness:
Against light according to:
- EN ISO 105-B02 5-7 (scale 1-8)
Against rubbing according to:
- EN ISO 105-X12
Dry: 4-5 (Scale 1-5)
Wet: 3-4 (Scale 1-5)

Flame retardancy:
Inherently flame retardant according to:
- EN ISO 1021 part 1&2
- Option, Crib 5 with treatment
- IMO FTP Code Part 8 (IMO Res. A.652 (16))

Care instructions:



Certificates:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00
F: +46 320 21 10 10
E: info@ludvigsvensson.com



Witteveen Projectinrichting, Ouderkerk a/d Amstel
Tel: 020 - 496 5030 info@witteveen.nl
www.project-inrichting.nl www.ergo-burostoel.nl