

thinwall




Witteveen Projectinrichting
Ouderkerk a/d Amstel
Tel: 020 - 496 5030
info@witteveen.nl
www.scheidingswand.net
www.project-inrichting.nl

molo design, ltd.
1470 venables street
vancouver, b.c
canada V5L 2G7
t + 1 604 685 0340
info@molodesign.com
www.molodesign.com
instagram-molo_studio
twitter-molostudio
facebook-molodesign



thinwall



thinwall is a flexible wall measuring only 90mm (3.5") wide and reaching 1.83 meters (6') high. Unlike its sibling product, softwall, thinwall is not intended to be freestanding. It was designed as an acoustic, sculptural liner for solid walls, columns and ceilings or as a flexible wrap for storage areas, reception desks and other millwork.

Design by Stephanie Forsythe + Todd MacAllen

elements are flexible in length.



the internal honeycomb structure and pleated surface break up reflected sound and provide acoustic absorption to enhance clarity of speech.



a complement to softwall rather than an alternative, thinwall is not freestanding—instead it integrates additional furniture or structures into an aesthetically cohesive environment when used as a wrap for shelving or other structures.



thinwall with felt handles used to create a closet by wrapping a simple wooden shelf.




thinwall closet in open position.





the white textile is a non-woven polyethylene. Durable to handle and easy to maintain; it is antistatic to repel dust, washable with soap and water, UV-stable and tear resistant.



paper thinwall, available in natural brown or black, is made from a robust blend of new and recycled paper fibres. Both paper and textile versions of thinwall are 100% recyclable.



the white textile version can be backlit with a flexible LED ribbon to transform the space liner into a sculptural light fixture.

product	dimensions	material + colour	product weight**	shipping weight*	product code
thinwall 1830mm tall x 90mm deep x 3000mm long (6' x 3.5' x 10')	 <p>1830mm (6')</p> <p>90mm (3.5')</p> <p>3000mm (10') max*</p> <p>*thinwall elements are flexible in length, opening to a max 10' (3.0m) long and magnetically connect to benchwall</p>	paper - natural brown paper - black paper - indigo blue** textile - white (translucent)	14.3kg 15.1kg 15.1kg 11.0kg	16.6kg 17.4kg 17.4kg 14.2kg	THW-P-BR-06-3 THW-P-BK-06-3 THW-P-BU-06-3** THW-T-WH-06-3
thinwall anchor strip one unit per each end of thinwall		white powder coated steel with adhesive 1675mm x 70mm (66\" x 2.8\")	2.3kg	2.3kg	SA-STRP-ST-WH-TW

*weights may vary